


Martini

Point 65 Sweden


Manual

This manual will help you with the basics of putting your Martini together for your next paddling experience. After some practice it takes literally 10 seconds to assemble your Martini. To take it apart you only need to reverse the process. Please read the warning sticker on your kayak for a safe and fun paddling experience. You will also find instructional films on www.point65.com


happy paddling!




1. Place ratchet strap in correct position in buckle on both sides of the kayak




2. Push both parts of the kayak together, so that the ratchet strap is approx 2 cm inside the buckle.




3. Straddle the back part of the kayak and lift, hooking the two parts. Then lower, automatically locking them.




4. Tighten the buckle, but do not overload buckle, this can damage the ratchet strap.




Pull the loop end of the rudder lines through the holes in the rudder head from above.




After pushing the loop through the hole, fold them back over the end corners.




Tighten the loops over the corners by pulling on the rudder lines.




Make sure the line runs along the outside of the 2 deck fittings on either side of the hatch.



Always use a personal flotation device when paddling. Read warning sticker on kayak before usage.



Never place heavy objects in the kayak while carrying or dragging, this can damage the locking system.



Never carry or drag the kayak with someone sitting in the kayak, this can damage the locking system.



Never paddle the kayak in surf larger than 3 feet in Tandem or 5 feet in Solo, this can lead to damage in the locking system.

POINT 65°N
Kayaks SWEDEN

www.point65.com